



STATE: Rajasthan

DATED: 27/07/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks	
		Instit.	Std. Comm.	Approval by Sub-Committee of NCVT		
1 Smt. Kamlesh Private ITI, N.H. 11, Vill. Behnera, Teh. Bharatpur Dist. Bharatpur Rajasthan DGET-6/20/01/2012-TC	Electrician	2(1+1)	2(1+1)	2(1+1)	SCIR-09/4/2012 SIR-07/06/2012 w.e.f. Aug 2012	
	Fitter	2(1+1)	2(1+1)	2(1+1)		
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)		
	Wireman	2(1+1)	2(1+1)	2(1+1)		
	Welder (G&E)	2(1+1)	2(1+1)	2(1+1)		
	Draughtsman Civil	2(1+1)	2(1+1)	2(1+1)		
	Health sanitary Inspector	2(1+1)	2(1+1)	2(1+1)		
	Insurance Agent	2(1+1)	2(1+1)	2(1+1)		
2 Govt. ITI, Baiser, Dist. Jodhpur Rajasthan DGET-6/20/171/2007-TC	Carpenter	2(1+1)	2(1+1)	2(1+1)	SCIR-25/5/2012 w.e.f. Aug 2012	
3 Navjivan Private ITI, Khasra No. 517/9 Bande Ka Balaji, Teh. Puler, Dist. Jaipur Rajasthan DGET-6/20/7/2012-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	*	SCIR-29/5/2012 *1. Latest Electricity bill /meter sealing report should be sent. 2. Purchase bills of major machinery should be sent for all the trade. 3. Mr. Ramand Sharma (Mechanic Diesel) Instructor has less than two year of experience as per certificate enclosed. 4. Mr. Rishikant Ranjan (Engg. Drg.) Instructor has less than two year of experience as per Certificate enclosed. 5. Both the instructors of Emp. Skill have no experience certificate enclosed. 6. Principal has 06 years exp. as against 08 years. Requisite experience of Instructor should be sent/appoint new Instructor. S/D to forward.	
	Mechanic Diesel	2(1+1)	2(1+1)	*		
	COPA	2(1+1)	2(1+1)	*		
	Draughtsman Civil	2(1+1)	2(1+1)	*		

-1-
Principal
Smt. Kamlesh Pvt. L.T.I. College
Bannerg, Bharatpur (Raj.)

Principal
Smt. Kamlesh Pvt. L.T.I. College
Bannerg, Bharatpur (Raj.)
Ministry of Skill Development & Employment
Govt. of India
New Delhi



Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Sta. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instit.	QCI	Approval by Sub-Committee of NCVT	
13 Private ITI, Village/Post. Sawarda Tehsil Dadu, Taluk Wajmahad, Dist. Jaipur Rajasthan DGET-6/20/41/2013-TC (New Pvt.)	Electrician	48(16+16+16)	48(16+16+16)	48(16+16+16)	Assessment-27/08/13 w.e.f. Aug 2013
Smt. Kamlesh Private ITI, N.H. 11, Vill. Balinera, Teh. Bharatpur Dist. Bharatpur Rajasthan DGET-6/20/01/2012-TC	Electrician	Addl. 6(3+3)	Addl. 6(3+3)	*	Assessment-01/08/13 *Only photography work has provided in 13. No videography work.
	Fitter	Addl. 2(1+1)	Addl. 2(1+1)		
	Wireman	2(1+1)	De-affiliated	De-affiliated	All four trades are de- affiliated at this location. w.e.f. Aug 2013.
	Draughtsman Civil	2(1+1)	De-affiliated	De-affiliated	
	Health sanitary Inspector	2(1+1)	De-affiliated	De-affiliated	
Insurance Agent	2(1+1)	De-affiliated	De-affiliated		
The trades Wireman 2(1+1), Draughtsman Civil -2(1+1), Health sanitary Inspector -2(1+1) & Insurance Agent - 2(1+1) units are de-affiliated at this location w.e.f. Aug 2013.					
7 Jai Jagdish Private ITI, Becarwala, Tehsil, Bassi, Kanola, Dist. Jaipur Rajasthan DGET-6/20/39/2013-TC (New Pvt.)	Electrician	6(2+2+2)	6(2+2+2)	*	Assessment 17/08/13 *1. Videography 2. Instrumentation workshop NCVT norms QCI to check

श्रीमती कमलेश प्रा. औद्योगिक प्रशिक्षण केंद्र

(ओ.जी.ई. मण्डल क्षेत्र) का
प्रमुख (T) M/O Labour
इस विभाग में

श्रीमती कमलेश प्रा. औद्योगिक प्रशिक्षण केंद्र
NH-11 आगरा रोड बहनेरा, भरतपुर

प्रचार्य

श्रीमती कमलेश प्रा. औद्योगिक प्रशिक्षण केंद्र
NH-11 आगरा रोड बहनेरा, भरतपुर



Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instt.	QCI	Approval by Sub-Committee of NCVT	
23 Laxman Private ITI, Near Maliyon Ki Dhani By Pass Gangapur City, Dist. Sawai Madhopur Rajasthan DGET-6/20/107/2013-TC (New Pvt.)	Electrician	9(3+3+3)	9(3+3+3)	9(3+3+3)	Assessment-11/8/2013 w.e.f. Aug 2013
24 Smt. Kamlesh Private ITI, N.H. 11, Vill. Behnera, Teh. Bharatpur Dist. Bharatpur Rajasthan DGET-6/20/01/2012-TC	Addl. Fitter	Addl. 6(3+3) Addl. 2(1+1)	Addl. 6(3+3) Addl. 2(1+1)	Addl. 6(3+3) Total 8(4+4) Addl. 2(1+1) Total 4(2+2)	Assessment-5/6/2013 SIR-4/9/2013 w.e.f. Aug 2013
25 Aryan Private ITI, Kaithun Road, Raipura, Dist. Kota Rajasthan DGET-6/20/111/2013-TC (New Pvt.)	Electrician	6(2+2+2)	6(2+2+2)	6(2+2+2)	Assessment-19/7/2013 w.e.f. Aug 2013
26 Vision Private ITI, Khasra No. 1493/1136, Near Jahazpur Chungi Naka, Uncha, Dist. Bhilwara Rajasthan DGET-6/20/35/2012-TC	Electrician Fitter	Addl. 12(4+4+4) Addl. 3(1+1+1)	Addl. 12(4+4+4) Addl. 3(1+1+1)	Addl. 12(4+4+4) Total 16(6+6+4) Addl. 3(1+1+1) Total 5(2+2+1)	Assessment-25/7/2013 w.e.f. Aug 2013

Principal
Smt. Kamlesh Pvt. Lt. Banners, Bharatpur (Raj.)

Director
DGET & T. M/o. Labou & Employment
Bhilwara / New Dahi